



2014 Data Air Quality Monitoring Update

Network Overview

Contents

- 1 Network Overview
- 2 What We're Monitoring
- 3 Daily Air Quality Index
- 4 Air Quality Trends
- 5 New in 2015
- 5 Other Resources


Garfield County Public Health operates an extensive air quality monitoring network designed to assess air quality in our county. Because clean air contributes to good health and a high quality of life, Garfield County is committed to a long-term air quality monitoring program.

Current air quality monitoring efforts include long term monitoring sites in Parachute, Rifle, Carbondale and a rural location about 4 miles south of Silt. Additionally, the County's mobile monitoring station operated in Battlement Mesa during 2014. This air quality monitoring update provides a brief summary of data collected through 2014. Key findings include:

- Garfield County did not violate any national air quality standards
- Air quality has continued to improve in recent years

While the current state of air quality in our county is good, Garfield County is committed to ongoing monitoring to better characterize what's in the air and help understand where it's coming from. Of particular concern are potential effects related to energy development, vehicle emissions, and population growth.

Visit our website at www.garfield-county.com/air-quality to learn more about what the county is doing and what YOU can do to protect and improve our air quality.



Garfield County Air Quality Monitoring Network Site Locations in 2014

What We're Monitoring

The 2014 air quality monitoring network in Garfield County consisted of five monitoring sites, at locations shown on the map on Page 1. Parameters monitored include:

- **Meteorology**
Wind speed, wind direction, temperature, relative humidity, and precipitation are collected along with air quality parameters to better understand the local conditions and transport of air pollutants.
- **Criteria pollutants**
 - **Ozone (O₃)**
 - **Nitrogen dioxide (NO₂)**
 - **Particulate matter (PM)**

Levels of criteria pollutants are regulated by the Environmental Protection Agency (EPA) and subject to National Ambient Air Quality Standards (NAAQS).
- **Volatile organic compounds (VOCs)**
This group includes hazardous air pollutants (HAPs). VOCs are monitored for a variety of purposes, including health effects, ozone formation potential and identification of pollutant sources.



Anna Triebel, field technician for Garfield County Environmental Health, checks one of the county's particulate matter monitors in downtown Rifle.




Image source: NASA.

Ozone

Ozone (O₃) is a pollutant formed through chemical reactions from the interaction oxides of nitrogen (NO_x) and volatile organic compounds (VOCs) in the presence of sunlight. Ozone occurs naturally at ground-level in low concentrations, but prolonged exposure to elevated concentrations can irritate the lungs and cause lung tissue damage. Ozone can also affect the reproduction and growth of some plants.

Nitrogen Oxides


Nitrogen dioxide (NO₂) and nitric oxide (NO) are the primary components of a group of gasses referred to as nitrogen oxides (NO_x). Although only NO₂ is considered a criteria pollutant, Garfield County monitors levels of NO, NO₂, and the total of all nitrogen oxides (NO_x) in the air. Nitrogen oxides emissions are primarily related to fuel combustion, especially motor vehicles and industrial sources. Exposure to elevated NO₂ concentrations can cause adverse respiratory effects. Additionally, NO_x contributes to both ozone and particulate matter (PM) formation.

Particulate Matter

Particulate Matter is made up of solid particles and liquid droplets that are small enough to be inhaled. Particulate matter is measured according to size, where:

- **PM_{2.5}** refers to particles less than 2.5 microns in diameter. These particles pose the greatest health risk.
- **PM₁₀** refers to particles less than 10 microns in diameter. These and larger sized particles can often be eliminated from the lungs through coughing.

Particulate matter has the potential to cause adverse respiratory and cardiovascular effects, especially when it becomes lodged deep in the lungs.



Volatile Organic Compounds

VOC monitoring in Garfield County includes **Hazardous Air Pollutants (HAPs)** such as the BTEX compounds (Benzene, Toluene, Ethylbenzene and Xylenes)

Volatile Organic Compounds (VOCs) include a wide variety of airborne organic compounds, of which more than **90 common compounds** are measured every six days in Garfield County. VOCs do not have set regulatory thresholds. Those monitored in Garfield County include:

- 21 compounds that are considered hazardous air pollutants (HAPs) which are known or believed to cause human health effects (e.g. benzene).
- A number of compounds related to oil and gas exploration and development
- 79 VOCs which are not considered hazardous to human health (e.g. ethane and propane).
- Methane, which is a potent greenhouse gas.

There are a variety of sources of VOCs. They include emissions from petroleum products (e.g., natural gas development and vehicle fueling), fuel combustion (e.g., vehicles and industry), manufacturing, and natural sources such as emissions from trees and other vegetation.

Air Quality Index – 2014 Levels

To provide real-time health advisories, the EPA developed the Air Quality Index (AQI) to alert the public and provide recommended actions the public can take during periods of poor air quality. AQI health advisory levels are based on regulatory standards for criteria pollutants and provide color-coded advisory levels and cautionary statements.





The below table summarizes the number of days that Garfield County spent in each AQI category in 2014 for ozone, particulate matter, and nitrogen dioxide. This includes data collected at the downtown Rifle site, the mobile monitoring station, and the Carbondale site. Real-time AQI values are also available on the Garfield County website. In 2014, Garfield County spent a large majority of days in the “good” category for all three pollutants. A small percentage of days were considered “moderate” for ozone and particulate matter, but no days were recorded in the “unhealthy” category, even for sensitive groups.

Real-time AQI Values are available on the Garfield County Air Quality website
www.garfield-county.com/air-quality

Air Quality	Cautionary Statements	Number of Days		
		Ozone (O ₃)	Particulate Matter (PM _{2.5})	Nitrogen Dioxide (NO ₂)
Good	None	357	354	333
Moderate	People who are unusually sensitive to air pollution should consider limiting prolonged or heavy exertion outdoors.	8	11	0
Unhealthy for Sensitive Groups	Active children and adults, and people with lung disease, such as asthma, should reduce prolonged or heavy exertion outdoors.	0	0	0
Unhealthy	Active children and adults, and people with lung disease, such as asthma, should reduce prolonged or heavy exertion outdoors. Everyone else, especially children, should reduce prolonged or heavy exertion outdoors.	0	0	0
Missing	N/A	0	0	32

Daily Air Quality Health Advisory levels, per EPA's Air Quality Index (AQI) as measured in 2014 in Garfield County.

Air Quality Pollutant Levels and Trends



The current Garfield County air quality monitoring network began in 2008. After seven years of data collection, we are able to review data to determine trends, and whether air quality is improving or degrading over time.

Since 2008, all pollutants measured in Garfield County have remained below the National Ambient Air Quality Standards (NAAQS) limits, as defined by the EPA. Plots to the left depict trends since 2008 for 8-hour O₃ and 24-hour PM_{2.5} along with the NAAQS limits.

Comprehensive annual air quality monitoring data summary reports are available at

www.garfield-county.com/air-quality

Annual average VOC concentrations in Garfield County have generally decreased from levels observed in 2008 when monitoring began. Monitoring results indicate that:

- Most Hazardous Air Pollutants (HAPS), such as benzene, have measured statistically significant decreasing annual average concentration trends at sites that have been in place more than five years. The plot to the left depicts decreasing benzene trends measured for the 2008-2014 period.
- Only one HAP, styrene (not shown), had increasing concentration trends in recent years. While the source is unknown, styrene is associated with the production of plastics. It is believed to be transported to the area, as there are no known large styrene sources in Garfield County.
- Many of the VOCs measured at the Garfield County sites are light alkanes, such as propane, which are associated with natural gas development. Light alkanes are not considered hazardous air pollutants, but may contribute to ozone formation and odor issues. Light alkanes have also shown decreasing trends, as illustrated by propane concentrations in the plot to the left.

New in 2015

In 2015, Garfield County Public Health continues our long term monitoring efforts, with the following changes:

- The Garfield County mobile monitoring station, which had been located in Battlement Mesa since October 2012, was relocated to Glenwood Springs. One year of data collection is planned for Glenwood Springs before the mobile station is relocated again.
- Public Health staff have expanded their education and outreach programs, especially in local schools.
- Continuous PM₁₀ monitoring was removed from the Rifle site in 2015, but filter-based PM₁₀ and continuous real-time PM_{2.5} continue to be monitored.



The Garfield County mobile monitoring station was moved from Battlement Mesa to Glenwood Springs in 2015.

Other Resources

Long-term air quality monitoring is just one piece of our air quality management program in Garfield County. Additional resources regarding air quality are available on the Garfield County Air Quality Management Website (www.garfield-county.com/air-quality) and include:

- Real-time air quality data
- Comprehensive annual air quality data reports
- Garfield County Public Health air quality management plans
- Emissions Inventories produced by the Colorado Department of Public Health and Environment (CDPHE)
- Special study reports and information
- Extensive educational materials

Air Quality monitoring and education programs in Garfield County continue to expand and evolve. We invite your input to help make better decisions about how to manage air pollution. Contact us with any feedback or concerns related to air quality in your area:

Garfield County Public Health, Rifle Office
Environmental Health Division
195 W. 14th Street
Rifle, CO 81650
Phone: 970-625-5200

Reduce your own air quality impact!

We cannot overstate the impact of our lifestyle choices on local air quality. Some examples of what you can do to protect our air include:

Reduce idling – Idling wastes fuel and money and adds to air pollution. In the winter, the best way to warm up your vehicle is to drive it.

Avoid burning – Burning leaves, yard waste and other materials adds to air pollution.

Upgrade your wood burning stove – Inefficient wood burning stoves are a large source of wintertime air pollution
